Telephone: 080 22341018 Tele Fax: 080 22341018

E-mail : adci.bangalore@gmail.com



GOVERNMENT OF INDIA

MINISTRY OF HEALTH AND FAMILY WELFARE
(DIRECTORATE GENERAL OF HEALTH SERVICES)

CENTRAL DRUGS STANDARD CONTROL ORGANIZATION
OFFICE OF THE ASSISTANT DRUGS CONTROLLER (INDIA)

SUB ZONE – BANGALORE

No. ADC/BSZ/KTK/06-172/2016/24

Date: 11/4/2016

The Drugs Controller, Karnataka, Bangalore.

Sub: Forwarding Joint inspection Report of M/s. Sapthagiri Hospital Blood Bank, No. 15, Chikkasandra, Hesaraghatta Main Road, Bangalore-560090, Karnataka -reg.

Ref: DCD, Karnataka letter no. DCD/24/BBC/2015-16 dated 3.2.2016 Sir,

With reference to above, M/s. Sapthagiri Hospital Blood Bank, No. 15, Chikkasandra, Hesaraghatta Main Road, Bangalore-560090, Karnataka was jointly inspected by by Sh. Mahesh N.A, Drugs Inspector of this office and Sh. Manohara. K.V, Drugs Inspector, HQ, Bangalore, State DC Department, Karnataka on 6.4.2016 to consider the Blood Bank's application for renewal of license for collection, storage and processing of Whole Human Blood IP and Blood Components.

From the joint inspection report, it is observed that the Blood Bank has provided adequate area, whole time competent technical staff, required equipments and reagents for collection, storage and processing of Whole Human Blood and Blood Components as well as SOPs, records, registers and labels are maintained as required under Part XII B, Schedule F of Drugs and Cosmetics Rules. The inspection team has also made the following suggestions:

- 1. The blood bank should constitute Transfusion committee to monitor the quality of blood processing.
- 2. The blood bank should provide temperature display to Refrigerator used for storing diagnostic kits and reagents
- 3. The Blood Bank should provide Temperature indicator for Autoclave.
- 4. The blood bank should use dry rubber balancing material during preparation of blood components.
- 5. The Blood bank should prepare SOP for "Maintenance, calibration & validation of equipments and Pilot samples preservation for seven days after issue".

In view of the above, the application of M/s. Sapthagiri Hospital Blood Bank, No. 15, Chikkasandra, Hesaraghatta Main Road, Bangalore-560090, Karnataka may be considered for renewal of license in Form-26G for collection, storage and processing of following products for the period 25.1.2016 to 24.1.2021 with a direction to comply the above mentioned suggestions.

- 1. Whole Human Blood IP.
- 2. Concentrated Human Red Blood Corpuscles IP.
- 3. Fresh Frozen Plasma BP
- 4. Platelet Concentrate USP.
- 5. Cryoprecipitate USP

Yours faithfully, Thanking Comashuman (Shanthy Gunasekaran)

Deputy Drugs Controller (India)

Encl: Joint Inspection Report

Copy to: i. The Drugs Controller General (India), FDA Bhawan, New Delhi.

ii. M/s. Sapthagiri Hospital Blood Bank, No. 15, Chikkasandra, Hesaraghatta Main Road, Bangalore-560090, Karnataka

## Form 26-G (See Rule 122-F)

## KTK/26G-01/2016-21

CERTIFICATE OF RENEWAL OF LICENCE TO OPERATE A BLOOD BANK FOR PROCESSING OF WHOLE HUMAN BLOOD AND/OR\* FOR PREPARATION FOR SALE OR DISTRIBUTION OF ITS COMPONENTS.

- 1. Certified that licence number: KTK/28C-232/2011 granted on 25/01/2011 for M/S. SAPTHAGIRI HOSPITAL BLOOD BANK, for the operation of a Blood Bank for processing of Whole Human Blood I.P and its Components at the premises situated at SAPTHAGIRI HOSPITAL, NO:15, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BANGALORE- 560 090 is hereby renewed with effect from 25/01/2016 TO 24/01/2021.
- 2. Name(s) of the items(s)
  - > WHOLE HUMAN BLOOD IP

PERMITTEE

- > PLATELET CONCENTRATE IP
- > CRYOPRECIPITATE
- > FRESH FROZE PLASMA BP
- > CONCENTRATED RBC IP
- 3. Name(s) of competent Technical Staff.

Dr. Jayalakshmi V.J MBBS,DCP

Dr. Aparna Narasimha MBBS,MD(Path)

Dr. Archana Shetty MBBS,MD(Path)

Dr. Padma Priya Kasukurti MBBS,MD(Path)

> Smt. Vijaya Joseph

> Sri. Shridhara N

Sri. Revanna

Smt. Veena B.K.

Smt. Sunitha K

> Smt. Chandrakala G.S

Medical Officer

Medical Officer

Medical Officer

Medical Officer

Technical Supervisor

Lab Technician

Lab Technician

Lab Technician

Lab Technician

Registered Nurse

Date: 21/04/2016

(Ragurama Bhandary) DRUGS CONTROLLER & LICENSING AUTHORITY

Central Licence Approving Authority

\* Delete, whichever is not applicable

Dr. G. N. SINGH Drugs Controller General (India) Die General of 11 - " Gervices Inlfars Ministry of Hear 1.0. FDA Bhawa

N ...